

United States Environmental Protection Agency Region 4





35TH AVENUE REMOVAL INVESTIGATION BIRMINGHAM, ALABAMA JEFF CROWLEY, ON-SCENE COORDINATOR

FIELD SAMPLING LOGBOOK

Book	a of	2	
Inclusive Dates:	14-	YIL	/2013
List of Comm	ling Toom	in laghaal	

(b) (6)	Initials Organization/Duties	
		,Team Leader
(D) (O)		URS
	200	

THIS PAGE LEFT INTENTIONALLY BLANK

Sampling Procedures and Methodology

Unless specified elsewhere in this logbook, all soil samples will be collected in accordance with the EPA Science and Ecosystem Division (SESD) Field Branches Quality System and Technical Procedures (FBQSTP) Soil Sampling (SESDPROC-300-R2) based on the following design.

The total number of 5-point composite surface soil samples (0-4 inches below ground surface) to be collected from each property will be based on the lot size as follows:

- For residential properties with a total parcel lot size equal to or less than (≤) 5,000 square feet the front yard and back yards of each property. If the property has a substantial side yard (primarily corner lots), then one composite soil sample may also be collected from the side yard. Aliquots will be collected away from influences with drip lines and burn areas in a five dice configuration (each of the four corners and the center).
- For residential properties with a total parcel lot size greater than (>) 5,000 square feet and ≤ ¼-acre the property should be divided into two roughly equal surface areas. If the property has a substantial side yard (primarily corner lots), then one composite soil sample may be collected from the side yard with the remainder of the property being divided into two roughly equal surface areas. Aliquots will be collected away from influences including drip lines and burn areas with reasonably equal spacing between aliquots.
- Residential properties over ¼-acre in parcel lot size will be divided into ¼-acre sections. When dividing any such property with a substantial side yard (primarily corner lots), one composite soil sample may be collected from the side yard. Aliquots will be collected away from influences including drip lines and burn areas in a five dice configuration, if possible, with reasonably equal spacing between aliquots.

Grab surface soil samples will be collected from apparent exposure pathways where active play sets are located.

Three-point composite surface soil samples will be collected from distinct vegetable gardens from each residential property.

Samples shall not be collected under paved areas or under stationary fixed structures.

Grab sediment samples will be collected in accordance with EPA SESD FBSTP Sediment Sampling (SESDPROC-200-R2) from any surface water drainage pathways located on individual properties, as directed by the OSC, and in and along the banks of the 34th Street North Ditch.

Each surface soil or sediment sample should be homogenized in a stainless steel bowl. One 8-ounce jar will be filled and the remaining sample material will be placed in zip-top bags for screening. Information identifying the location, sample, and date/time will be inscribed on each jar and zip-top bag.

All sample bags will be screened for metals in accordance with SESD FBQSTP Field XRF Measurement (SESDPROC-107-R2) using a Niton XRF. The sample will be dried before sieving or analysis is performed. Once the sample has dried, the sample will be divided into two subsamples; one subsample will be sieved through a #10 screen (2 mm) and the other will be left unsieved. Once separated into sieved and unsieved samples, the zip-top bag will be compressed by folding over the excess plastic and removing as much air and space from the sample as possible. The XRF will be placed directly on the exterior of the compressed sample in the plastic zip-top bag to measure metals concentrations. Following XRF screening, the unsieved portion of the sample material will be containerized into one 8-ounce jars and the sieved portion of the sample will be containerized into another 8-ounce jar.

THIS PAGE LEFT INTENTIONALLY BLANK

Based on the site DQOs the 8-ounce jars of surface soil and sediment samples should be submitted to PEL, Tampa, Florida (a NELAC certified laboratory) for low level PAH, and/or TCL SVOC, RCRA metals. PCB, and/or Hexavalent Chromium analysis. RCRA metals will be analyzed from both the sieved and unsieved portions of the sample. All other analysis will be conducted on the unsieved portion.


The location of each aliquot will also be logged in accordance with SESD FBQSTP Global Positioning System (SESDPROC-110-R3) using a Trimble GPS.

A description of the color and texture of the aliquot material will be recorded in each box.

The *station ID* for each location will consist of seven characters, beginning with the six digit Property ID designation for the property followed by a alphabetic letter beginning with "A".

e.g. CV0001A would be the station ID for the front yard 5-pt composite sample collected at the property with Property ID CV0001.

The *sample ID* for each sample is the station ID with "CS" (composite soil), "GS" (grab soil), "SD" (sediment), or "SW" (surface water) appended, therefore, the sample ID for this sample would be CV0001A-CS. Co-located duplicates will be designated by appending a "D" to the end of the sample ID. Pan splits will be identified by appending an "SP" to the end of the sample ID.



STATION ID:	SAMPLE ID: CV - 06044 -CS			
SAMPLE COLLECTION TIME: 0852				
Description of sample location (front, back, side yard; vege	etable garden; play set; ditch, etc);			
	of Bldg Etanks and NE of 34th Plan N MS/MSD? Y of A) and Drived			
Collection: Composite or Grab	MS/MSD? Y of A) and Drived			
Field Duplicate or Split: Yes or No If yes, indicate Duplicate	e/split sample station ID:			
GPS Coordinates: Trimble [> Instrument #: 018954	Logged? Tor N			
	Longitude 86. ₹99649890 W			
Media description: W604A4 To	player of BIKSIty day fruet 9 5 bIK for anye			
	Longitude 86. 799541480 W Sity day			
Media description: 33. 5623 4113°	Sarcsal			
Aliquot #3: Latitude: 33-562305699 N	Longitude 86.799492130 W fragm			
Media description: CVOO604A-3	Sam Soil			
Aliquot #4: Latitude: 33.56227820° N	Longitude 86 799449713 W			
Media description: CVO604A-4	Same soil			
Aliquot #5: Latitude: 33.562238412 N	Longitude 86-799422780 W			
Media description: CVO60UA-5	Same soil			
	SAMPLE ID: WOOLH B-CS			
SAMPLE COLLECTION TIME: 0907				
Description of sample location (front, back, side yard; vege	etable garden; play set; ditch, etc):			
SE edge of parcel just &	SE of tanks			
Collection: Composite or Grab	MS/MSD? Y or N			
Field Duplicate or Split: Yes or No If yes, indicate Duplicate/split sample station ID:				
GPS Coordinates: Trimble [X Instrument #: 018954	Logged? Y or N			
Aliquot #1: Latitude: 33. 56230619	Longitude 86.79,9311680 W			
Media description: W06048 (large	5 clay Funt of orange clay m-cult/w/coal			
Aliquot #2 Latitude: 33.562358143 N	Longitude 86-799249530 W fragnet			
Media description: WOSO482 T	afor of Bun Claymout over orange clay mic			
Aliquot #3: Latitude: 33, 562398130 N	Longitude 86.79918988 W het			
Media description: W06046-3	Sam soil			
Aliquot #4: Latitude:	Longitude W Hagner			
Media description:				
Aliquot #5: Latitude:	Longitude			
Media description:				

The remaining pages in this logbook are blank and have not been scanned.